



2nd International Conference on Applied Research in  
**ENGINEERING SCIENCE & TECHNOLOGY**

18-20 October 2019

Budapest, Hungary

## **Kinetic and Thermodynamic Modified Pectin with Chitosan by Forming Polyelectrolit Complex Adsorbent to Remediate of Pb (II)**

**Budi Hastuti<sup>1</sup>, Mudasir<sup>2</sup>, Dwi Siswanta<sup>2</sup> And Triyono<sup>2</sup>**

<sup>1</sup> Department of Chemistry Education, Faculty of Teacher Training and Education, Universitas Sebelas Maret, Jl. Ir. Sutami 36A Surakarta, 57126, Indonesia

<sup>2</sup> Department of Chemistry, Faculty of Mathematics and Natural Sciences, Universitas Gadjah Mada, Sekip Utara, Yogyakarta 55281, Indonesia

2

### **Abstract**

Biosorbent, such as pectin and chitosan, are usually produced with low physical stability, thus the materials need to be modified. In this research, the physical characteristic of adsorbent was increased by grafting chitosan using acetate carboxymethyl chitosan (CC). Further, CC and Pectin (Pec) were crosslinked using cross-linking agent BADGE (bis phenol A diglycidyl ether) to get CCPec-BADGE(CPB) adsorbent. The cross-linking processes aim to form stable structure and resistance on acidic media. Furthermore, in order to increase of the adsorption capacity in removing Pb(II), the adsorbent were added with NaCl to form macroporous adsorbent named CCPec-BADGE-Na (CPBNa). The physical and chemical characteristics of porogenic adsorbent structure were characterized by scanning electron microscopy (SEM) and Fourier transform infrared spectroscopy (FT-IR). The adsorption parameter of CPB-Na to adsorb Pb(II) ion was determined. The kinetics and thermodynamic of the bath sorption of Pb(II) on CPB-Na adsorbent and using chitosan and pectin as comparison were also studied. The results showed that the CPB-Na biosorbent was stable on acidic media. It had a rough and porous surface area, increased and gived higher sorption capacity for removal Pb(II) ion. The CPB-Na 1/1 and 1/3 adsorbent adsorbed Pb(II) with adsorption capacity of 45.48 mg/g and 45.97 mg/g respectively, whereas pectin and chitosan was of 39.20 mg /g and 24.67 mg /g respectively.

**Keywords:** porogen, Pb(II), Pectin, Chitosan, Carboxymethyl Chitosan (CC) and CC- Pec-BADGE-Na